

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	"6706819"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:01
L2	3	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:02
L3	0	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:02
L4	0	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$4 and (fluorine or fluorinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:03
L5	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$4 and (fluorine or fluorinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:04
L6	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$4 and (fluorine or fluorinat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:04
L7	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$4 and (fluorine or fluorinat\$4) and (end or endgroup or terminat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:05
L8	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$4 and (fluorinat\$4) and (end or endgroup or terminat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:05

L9	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$2 and (fluorinat\$4) and (end or endgroup or terminat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:07
L10	2	"6706819" and (tfe or hfp or fep or tetrafluoroethylene or hexafluoropropylene or fluoropolymer or fluoroethylene) and extrud\$4 and conduct\$2 and (fluorinat\$4) and (end or endgroup or terminat\$4) and (melt\$4 or molten or zone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/10 14:08

[Sign in](#)Web Images Groups News Froogle Local^{New!} more »

tetrafluoroethylene/hexafluoropropylene condu

Search

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 96 for **tetrafluoroethylene/hexafluoropropylene conductor extruding** with Safe**Tetrafluoroethylene/hexafluoropropylene copolymers with higher ...**

A **tetrafluoroethylene/hexafluoropropylene** copolymer with high drawability is provided. ... (c) **extruding** the copolymer around the **conductor** at a temperature ...
www.freepatentsonline.com/6623680.html - 47k - [Cached](#) - [Similar pages](#)

Patent 4649228: Transmission line

this **conductor** and the conductors 3 are then enclosed by **extrusion** molding within a covering 4 of PFA resin having a rectangular cross-section, ...
www.freepatentsonline.com/4649228.html - Supplemental Result - [Similar pages](#)
 [[More results from www.freepatentsonline.com](#)]

中国氟塑料加工网

... and Construction - Poly(**Tetrafluoroethylene-Hexafluoropropylene**)(FEP) Insulation and ... NASA, FEP-27, CABLE, ELECTRICAL, FLAT **CONDUCTOR**, POLYIMIDE/ FEP ...
fscpa.com.cn/cpbz2/index5.htm - 48k - [Cached](#) - [Similar pages](#)

[PDF] The Novel LiningFile Format: PDF/Adobe Acrobat - [View as HTML](#)

... like other general-purpose thermoplastic resins, it allows **extrusion** molding, injection ...
 Semi **Conductor** ... FEP **tetrafluoroethylene- hexafluoropropylene-** copolymer ...
www.gutbrod-ptfe.de/produkte/chemresist/prospekt_englisch.pdf - Supplemental Result - [Similar pages](#)

EP655751 Junkosha european software patent - A coaxial cable and ...

If A difference is detected, **extrusion** apparatus applying A second dielectric layer is ... A first dielectric layer that covers the **conductor**; and ...
gauss.ffii.org/PatentView/EP655751 - 43k - Supplemental Result - [Cached](#) - [Similar pages](#)

Extrusion process and product patent

Extrusion/melt draw-down to form insulated **conductor** is shown on pp. 17-19 of the TEFLON.RTM./TEFZEL.RTM. melt **Extrusion** Guide, published by the DuPont ...
www.freshpatents.com/Extrusion-process-and-product-dt20041125ptan20040232580.php - 36k - Supplemental Result - [Cached](#) - [Similar pages](#)

High melt flow fluoropolymer patent

[0016] A series of **extrusion**/melt draw-down processes are conducted using the extruder for melt draw-down **extrusion** coating of the copper **conductor**, ...
www.freshpatents.com/High-melt-flow-fluoropolymer-dt20050414ptan20050080211.php - 27k - [Cached](#) - [Similar pages](#)
 [[More results from www.freshpatents.com](#)]

United States Patent Application: 0050080211

[0016] a Series of **extrusion**/melt draw-down processes are conducted using The extruder for melt draw-down **extrusion** coating of The copper **conductor**, ...
appft1.uspto.gov/.../20050080211&RS=DN/20050080211 - 45k - Supplemental Result - [Cached](#) - [Similar pages](#)

United States Patent Application: 0050129838

a Process for the manufacture of An electrode comprising a **conductor** and An ...

[0047] if, on the other hand, the conventional **extrusion** coating method is ...
appft1.uspto.gov/.../ 20050129838&RS=DN/20050129838 - 39k - Supplemental Result -
[Cached](#) - [Similar pages](#)
[[More results from appft1.uspto.gov](#)]

[esp@cenet description view](#)

preferably, the resin is Foamed by **extrusion** in the method for forming the Foamed
plastic insulation layer on the periphery of the **conductor**. ...
v3.espacenet.com/textdes?& DB=EPODOC&IDX=EP0540322&QPN=EP0540322 - 43k - Supplemental Result -
[Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Gooogle ►

Result Page: 1 2 3 4 **Next**



Google Desktop Search 9:30 AM

Free! Instantly find your email, files, media and web history. [Download now.](#)

tetrafluoroethylene/hexafluoropropyl

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

tetrafluoroethylene/hexafluoropropylene condu

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 96 for **tetrafluoroethylene/hexafluoropropylene conductor extruding** with **Safe****Tetrafluoroethylene/hexafluoropropylene copolymers with higher ...**

A **tetrafluoroethylene/hexafluoropropylene** copolymer with high drawability is provided. ... (c) **extruding** the copolymer around the **conductor** at a temperature ...
www.freepatentsonline.com/6623680.html - 47k - [Cached](#) - [Similar pages](#)

Patent 4649228: Transmission line

this **conductor** and the conductors 3 are then enclosed by **extrusion** molding within a covering 4 of PFA resin having a rectangular cross-section, ...
www.freepatentsonline.com/4649228.html - Supplemental Result - [Similar pages](#)
[[More results from www.freepatentsonline.com](#)]

中国氟塑料加工网

... and Construction - Poly(**Tetrafluoroethylene-Hexafluoropropylene**)(FEP) Insulation and ... NASA, FEP-27, CABLE, ELECTRICAL, FLAT **CONDUCTOR**, POLYIMIDE/ FEP ...
fscpa.com.cn/cpbz2/index5.htm - 48k - [Cached](#) - [Similar pages](#)

[PDF] The Novel Lining

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... like other general-purpose thermoplastic resins, it allows **extrusion** molding, injection ...
Semi Conductor ... FEP **tetrafluoroethylene- hexafluoropropylene-** copolymer ...
www.gutbrod-ptfe.de/produkte/chemresist/prospekt_englisch.pdf - Supplemental Result - [Similar pages](#)

EP655751 Junkosha european software patent - A coaxial cable and ...

If A difference is detected, **extrusion** apparatus applying A second dielectric layer is ... A first dielectric layer that covers the **conductor**; and ...
gauss.ffii.org/PatentView/EP655751 - 43k - Supplemental Result - [Cached](#) - [Similar pages](#)

Extrusion process and product patent

Extrusion/melt draw-down to form insulated **conductor** is shown on pp. 17-19 of the TEFLON.RTM./TEFZEL.RTM. melt **Extrusion** Guide, published by the DuPont ...
www.freshpatents.com/Extrusion-process-and-product-dt20041125ptan20040232580.php - 36k - Supplemental Result - [Cached](#) - [Similar pages](#)

High melt flow fluoropolymer patent

[0016] A series of **extrusion**/melt draw-down processes are conducted using the extruder for melt draw-down **extrusion** coating of the copper **conductor**, ...
www.freshpatents.com/High-melt-flow-fluoropolymer-dt20050414ptan20050080211.php - 27k - [Cached](#) - [Similar pages](#)
[[More results from www.freshpatents.com](#)]

United States Patent Application: 0050080211

[0016] a Series of **extrusion**/melt draw-down processes are conducted using The extruder for melt draw-down **extrusion** coating of The copper **conductor**, ...
appft1.uspto.gov/.../20050080211&RS=DN/20050080211 - 45k - Supplemental Result - [Cached](#) - [Similar pages](#)

United States Patent Application: 0050129838

a Process for the manufacture of An electrode comprising a **conductor** and An ...

[0047] if, on the other hand, the conventional **extrusion** coating method is ...
appft1.uspto.gov/.../ 20050129838&RS=DN/20050129838 - 39k - Supplemental Result -
[Cached](#) - [Similar pages](#)
[[More results from appft1.uspto.gov](#)]

[esp@cenet description view](#)


preferably, the resin is Foamed by **extrusion** in the method for forming the Foamed
plastic insulation layer on the periphery of the **conductor**. ...

v3.espacenet.com/textdes?& DB=EPODOC&IDX=EP0540322&QPN=EP0540322 - 43k - Supplemental Result -
[Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Gooooogle ►

Result Page: 1 2 3 4 **Next**



Free! Instantly find your email, files, media and web history. [Download now.](#)

tetrafluoroethylene/hexafluoropropyl

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

tetrafluoroethylene/hexafluoropropylene condu

[Advanced Search](#)
[Preferences](#)**Web** Results **11 - 20** of about **95** for **tetrafluoroethylene/hexafluoropropylene conductor extruding** with **Saf**

Bandwidth Market, Ltd

C. was applied to an electrical **conductor**. in both cases the **conductor** cross section was ... 10.sup.16 Dielectric constant 1.91 1.93 **extrusion** temperatures ... bandwidthmarket.com/resources/patents/apps/2002/10/20020156192.html - 18k - Supplemental Result - [Cached](#) - [Similar pages](#)

Desiccant or Desiccants - Integrated window sash with groove for ...

18 is a cross-sectional view of a sash frame illustrating multiple nozzles for **extruding** sealant and desiccant on the sash frame. ... www.qiaoyun.net/desiccants/desiccant14.htm - 126k - [Cached](#) - [Similar pages](#)

Product Details

as the Nucleator to be used for This **extrusion** Foam forming, ... the **conductor** 11 continuously delivered from the **conductor** delivery machine 1 runs through ... www.chemi-tek.com/prod_mostra.asp?pid=24680 - 38k - Supplemental Result - [Cached](#) - [Similar pages](#)

Fluoropolymer compositions - US Patent 5468782

(b) an insulating jacket which surrounds the **conductor** and which is composed of A ... including molding and melt-**extrusion**, which is generally preferred. ... www.patentstorm.us/patents/5468782.html - 36k - Supplemental Result - [Cached](#) - [Similar pages](#)

Crush-resistant high-strength buffered optical waveguide fiber ...

... or full density PTFE tape and could be applied by **extrusion** in the case of ... 385/100, optical transmission cable 385/101, with electrical **conductor** in ... www.patentstorm.us/patents/5293442.html - 22k - Supplemental Result - [Cached](#) - [Similar pages](#)
[[More results from www.patentstorm.us](#)]

Polytetrafluoroethylene (PTFE)

... 6,541,588 **Tetrafluoroethylene/hexafluoropropylene** copolymers with higher drawability. 3/25/2003. 123. ... 1/14/2003. 108. 6,506,043 Paste **extrusion** apparatus. 1/7/2003 ... www.maropolymeronline.net/aaPatLink/ PQR/Resins/FluoroPolym/PTFE/PTFE/PTFE200.htm - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

Partners Plastics Blogs Geosynthetica.net Patent Links ...

Method of forming a PTFE insulation layer over a metallic **conductor** and product derived therefrom. 8/10/2004 ... Paste **extrusion** Apparatus. 1/7/2003 ... www.maropolymeronline.com/aaPatLink/ PQR/Resins/FluoroPolym/PTFE/PTFE/PTFE200.htm - 112k - Supplemental Result - [Cached](#) - [Similar pages](#)

United States Patent Application: 0030118886

Accordingly, a polymer electrolyte of a non-Fluorine-containing protonic **conductor** ... forms The membrane from a solution, melt pressing and melt **extrusion**. ... spore.patentmatrix.com/Projects/ WNCCTC/USC162/..%5CBOS%5C20030118886.html - 71k - Supplemental Result - [Cached](#) - [Similar pages](#)

United States Patent Application: 0030152766

... is a terpolymer of **tetrafluoroethylene**, **hexafluoropropylene** and vinylidene ... material,

conductor, semi-**conductor** and a ... resin systems by **extruding** a halopolymer ...
spore.patentmatrix.com/projects/ wncctc/Comp046/..%5CBOS%5C20030152766.html - 101k -
Supplemental Result - [Cached](#) - [Similar pages](#)
[[More results from spore.patentmatrix.com](#)]

Abstracts of Papers of the Experimental Physics Group

Stretching of HEPP perpendicular to the **extrusion** direction causes cracks advancing
... A copolymer of ethylene **tetrafluoroethylene hexafluoropropylene** and ...
wwwex.physik.uni-ulm.de/Includes/ExpPhysAbstracts.shtml - 244k - [Cached](#) - [Similar pages](#)

◀ Gooooogle ▶

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)
[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

tetrafluoroethylene/hexafluoropropylene condu

Search

[Advanced Search](#)
[Preferences](#)

Web Results 21 - 30 of about 95 for tetrafluoroethylene/hexafluoropropylene conductor extruding with Saf

Bandwidth Market, Ltd

a coating for a **conductor**, said coating comprised of a melt processible ...

The process of **Extrusion** of a melt processible composition comprising melt ...

www.bandwidthmarket.com/resources/patents/apps/2001/12/20010048179.html - 34k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[[More results from www.bandwidthmarket.com](#)]

[PDF] Automotive & Standard Cables

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... mechanical and electrical properties of the **conductor** alternate bending strength

and resistance to torsion ... FEP **Tetrafluoroethylene hexafluoropropylene** ...

www.leoni-cable.com/service/kataloge/pdf/asc_c.pdf - Supplemental Result - [Similar pages](#)

氟塑料国外FEP标准目录

ASTM, FEP-2, Standard Specification for FEP-Fluorocarbon Molding and **Extrusion**

Materials ... NASA, FEP-27, CABLE, Electrical, FLAT **CONDUCTOR**, POLYIMIDE/ FEP ...

www.gsiic.com/index/Article_Print.asp?ArticleID=9148 - 27k - Supplemental Result - [Cached](#) - [Similar pages](#)

EP1286382

... are used in a semi-**conductor** device or Various kinds OF devices for a ...

[0121] Subsequently, THE following coating composition (2) was **extrusion** ...

swpat.ffii.org/pikta/txt/ep/1286/382/ - 117k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] PRODUCT DIRECTORY

File Format: PDF/Adobe Acrobat

Page 1. 1 PRODUCT DIRECTORY www.nordicnetproducts.net 03049 1-way mirror
glass 12034 2K moulding 13274 3D construction programs 00001 ...

www.ekolitt.se/pdf/nordicnetproducts_eng.pdf - Supplemental Result - [Similar pages](#)

Patent 5919583

The fuel cell of claim 1 wherein said inorganic proton **conductor** is selected ...

such Membranes can be made by laminating two films or CO-**extruding** a film ...

67.78.125.131/patent-search/us5919583.html - Supplemental Result - [Similar pages](#)

[PDF] www.nordicnetproducts.com/pdf/nordicnetproducts_en...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

Grenzfl. mater.: titles per sub-domain

... (1994) Effect of **Extrusion** on Fiber Orientation and Breakage of Aluminar ...

on Surface-Modified Poly(**Tetrafluoroethylene Hexafluoropropylene**) Polymers ...

www.cwts.nl/ed/grfl/title17.html - 513k - [Cached](#) - [Similar pages](#)

Coated fiber strands, composites and cables including the same and ...

... of the transmission **conductor** for reinforcing the transmission **conductor**, ...

useful **extrusion** equipment includes single or twin screw extruders ...

patents.nimblewisdom.com/patent/ 6087000-Coated-fiber-strands-composites-and-cables-including-the-same-

and... - 99k - Supplemental Result - [Cached](#) - [Similar pages](#)

Bandwidth Market, Ltd

... perpendicular to the axis of **extrusion**. ... of: electrical **conductor** elements or ... density
polytetrafluoroethylene, **tetrafluoroethylene-hexafluoropropylene** copolymer ...
www.bandwidthnews.com/resources/patents/data77/5920671.html - 62k - Supplemental Result -
[Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

tetrafluoroethylene/hexafluoropropylene condu

[Advanced Search](#)
[Preferences](#)**Web** Results 31 - 31 of about 95 for tetrafluoroethylene/hexafluoropropylene conductor extruding with Saf[\[PDF\] page 1 미국특허속보 \(N0.2003-09호\) 발행일 : '03.11.03. 1 특 특허 ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)magnet using an **extrusion** Process. 2. 6627118 Ni alloy particles and Method for producing ... 6627058 Thick film **conductor** composition for use in biosensors ...smic.rist.re.kr/file/reference/license/1114%5B2%5D.pdf - Supplemental Result - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 31 already displayed.

If you like, you can repeat the search with the omitted results included.

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#)

tetrafluoroethylene/hexafluoropropyl

[Search within results](#) | [Language Tools](#) | [Search Tips](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google